FABRIC CERTIFICATION MATRIX Commercial													Prior			TEXSTYLE			
U(ommerciai	Ambien	Kleenscre	Eclipse P	300 MEZ	4000 MEZ	300047	30008	4000	VEWA	7000%	*Wester	Mess LF	Mesa Bo	Mesa Fac	Jempe Bo	Silversor	Omniess	Enviroscrees
	Roller	√	√	✓	✓	✓	✓	✓	✓	✓	✓	✓	√	√	/	✓	✓	✓	✓
Applications	Panel	✓	✓	√	1	✓	✓	✓	✓	1	✓	1	✓	√	✓	✓	✓	✓	✓
	Roman												✓	√	✓				
plic	Blackout			✓										✓	✓	✓			
Α	Light Filtering												√						✓
	Screen	\checkmark	√	✓	/	/	/	/	/	/	/	/					1	/	✓
	AERC Energy Rating				/									√					
	Cradle to Cradle																		✓
Certifications Declarations Standards	LOW VOC (CDPH or GREENGUARD Gold)		√	/	/	/	/	/	/	/	/	/	√	√	1	/	√	/	✓
	HPD	√	✓	✓	/	1	✓						✓	√	1	✓	✓	✓	✓
S S	EPD																		✓
tion	Red List Compliant	√																	✓
clara	MA H4900 Compliant	✓											✓						✓
De l	OEKO-TEX Standard 100	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
tions	ISO 14001		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓					✓	✓	✓
ificat	ISO 9001		√	✓	✓	✓	✓	✓	✓	✓	✓	✓	√	√	✓		√	✓	✓
Cert	Fire Retardant	√	√	√	/	✓	✓	✓	✓	/	✓	/	√	√	✓	✓	✓	✓	✓
	Lead Free	√	✓	✓	✓	✓	✓	✓	✓	1	✓	1	✓	√	✓	✓	✓	✓	✓
	Fungal/Bacterial Resistance		✓	✓	/	✓	/	✓	/	/	✓	/				✓			
	PVC Free	√											✓	√	✓	✓			✓
	Formaldehyde Free	✓	√	✓	/	1	✓	1	✓	1	1	1	√	✓	✓	✓	✓	✓	✓
atures	Phthalate Free	✓	✓	✓	1	✓	✓	✓	✓	✓	✓	✓	✓	√	✓	✓	✓	✓	✓
Feat	Fragrance Free	✓	✓	√	/	✓	✓	✓	✓	✓	✓	✓	✓	√	✓	✓	✓	✓	✓
	Recycled Content																		
	Recyclable	√																	
Warranties	5 Year Warranty	✓																	
	10 Year Warranty		√	1								✓	√	✓	1	✓	✓	✓	✓
	Limited Lifetime Warranty				✓	✓	✓	✓	✓	✓	✓								



FABRIC CERTIFICATION MATRIX



Res	idential		4	o O	14	08/	'			4 .	0							TYLE	7.80		2	0					
		4 Vesta	4 Vesto	Balmor	Balmor.	Chamb.	Chenille	Falun	Jeresh,	Jersey CF	Karuns	7,000	Manda	Milano	Panam	Pomer	Sanctu	Sanctus	Sticken	Parifa	70rino p	Trento	TUSKLE	Tuskan	Verona	N'90 80	Vista Bo
	Roller	√	√	/	1	✓	1	√	√	√	√	✓	√	✓	√	√	√	/	✓								
SI	Panel	✓	✓	✓	✓	✓	✓	/	√	√	✓	✓	√	✓	✓	✓	✓	✓	√	√	√	✓	✓	✓	√	✓	✓
catio	Roman			√	√				√	√							√	√					√	√			✓
Applications	Blackout		√		√					√								√			√			√		√	✓
1	Light Filtering	√		√		✓	√	√	√		√	√	√	✓	√	√	√		√	√	√	√	√		√		
	Screen																										
	AERC Energy Rating			✓	√																						
v	Cradle to Cradle			,	,												,						,	,			
dard	LOW VOC (CDPH or GREENGUARD Gold)			√	√				√	√							√	√					√	✓			✓
Stan	HPD																										
suc	EPD Braddist Constitution																										
aratic	Red List Compliant	,	,	,	,	,	,	,		,	,	,	,	,	,	,	,	,	✓	(,	/			,		
Deck	MA H4900 Compliant OEKO-TEX Standard 100	√ /	✓ ✓	✓ ✓	✓ ✓	/	✓ ✓	√	✓ ✓	✓ ✓	✓ ✓	✓ ✓	✓ ✓	✓ ✓	\/ \/	✓	✓ ✓	✓ ✓	V	√	✓	V	/	/	✓ ✓	√	✓ ✓
SI	ISO 14001	√	✓ ✓	V	V	✓ ✓	✓ ✓	√	· ·	V	✓ ✓	✓ ✓	✓ ✓	✓ ✓	<i>V</i>	/	✓ ✓	✓ ✓	✓	✓	1	/	V	V	✓	/	
catio	ISO 9001	v	V	/	/	V	V	v		/			V	V	V	v	V	V	V	V	V	/			v		
Certifications Declarations Standards	Fire Retardant			V	V				V	V												V					
Ŏ	Lead Free	✓	/	/	/	/	/	√		/	√	/	/	/	/	/	√	/	/	/	/	/	/	/	√	/	/
	Fungal/Bacterial Resistance	V	V	V	V	V	V	V	<u> </u>	V	V		V	V	V	V	V	V	V	V	V	· ·	V	V	V		
	PVC Free	√	/	/	/	/	/	√		/	√	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/
	Formaldehyde Free	√	√	· /	✓ /	<i>\</i>	/	<i>\</i>	<u>√</u>	<i>'</i>	√	<i>\</i>	√	<i>\</i>	√ /	✓ /	√	<i>\</i>	<i>\</i>	<i>'</i>	<i>✓</i>	·	√	/	<i>'</i>	<i>'</i>	√
res	Phthalate Free	/	/	/	/	/	/	/	√	/	√	/	/	/	/	/	/	/	/	√	/	/	/	/	/	/	1
Features	Fragrance Free	/	/	/	/	/	/	/	√	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	√	1	✓
ш.	Recycled Content										√		/														
	Recyclable																										
ies	5 Year Warranty	√	1	1	1	√	1	√	√	√	√	√	1	√	/	1	√	√	√	✓							
Warranties	10 Year Warranty																										
Wa	Limited Lifetime Warranty																										I



FABRIC BRIEF

Certifications | Declarations | Standards



GREENGUARD

- Certification that identifies products and materials with low chemical emissions.
- Certified products have been screened for more than 10,000 volatile organic compounds (VOCs) and must meet strict chemical emission levels over a 14 day testing period.
- Tests to the California Department of Public Health (CDPH) Standard Method v1.2–2017.
- Greenguard was first used as the basis for establishing LEED credits, but is no longer. LEED now uses the California Department of Public Health (CDPH) Standard Method v1.2–2017.
- Certification expires after 5 years.



GREENGUARD Gold

- Highest level GREENGUARD certification meaning a fabric meets stricter chemical emission limits than standard GREENGUARD.
- Products TVOC (total VOCs) must be 0.5mg/m3 of air, or less.
- TVOC emission results of zero also receive Gold status.



Cradle to Cradle

- A system of scoring a product and its total lifecycle for its sustainability commitment to the circular economy.
- Asses product and its lifecycle across 5 critical sustainability categories: Material Health, Material Reutilization, Renewable Energy and Carbon Management, Water Stewardship, and Social
- Each category is assigned an achievement level: bronze, silver, gold, platinum.
- Lowest category achievement level represents its overall certification level.
- Assesses fiber creation, manufactures policies and procedures, transit methods, and the likely end use for how all components can be recycled and what their new purpose could be.



OEKO-TEX Standard 100

- Certifies that the product is free of harmful substances or the limit values of potentially harmful substances are not exceeded. In many cases, the Oeko-Tex limit values go beyond national and international requirements.
- Tests for regulated substances and also non-regulated substances that are known to be problematic: Formaldehyde, heavy metals inlouding lead, pesticides, chlorinated phenols, pthalates, biological active products, flame retardants, odors, Asbestos, dyestuffs classified as allergenics, VOCs, and much more.
- Certification valid for 1 yr and test criteria and limit values are updated each year.
- There are 4 product classes. Window covering fabrics fall into Class 4. Test requirements depend on the intended use of the textile product.



California Department of Public Health v1.2 (CDPH)

- CDPH is a test method for screening volatile organic compounds (VOCs) from indoor furniture, finishes, and materials.
- It is a 14-day test in a closed chamber. From the results you can make a self declaration about a product.
- · GreenGuard uses this same test plus other factors for their certification.
- Gives you a range of values: TVOC: 0.5 mg/m3 or less, between 0.5 and 5 mg/m3, or 5 mg/m3 and more
- Benefits of CDPH vs GreenGuard: Guaranteed science and it does not expire.



LBC Red List Compliant

- All chemicals declared in the HPD for a product are not on the LBC's (Living Building Challenge Institute) red list of hazardous materials.
- The hazardous chemicals lists is determined by government agencies such as the United States Environmental Protection Agency (U.S. EPA), European Union Commission for the Environment, and the California Department of Toxic Substances Control.
- There are 3 levels that can be achieved:
 - 1. LBC Red List free = free of all Red List ingredients down to 100 ppm.
 - LBC Red List Compliant (Ambient) = free of all Red List ingredients down to 100 ppm, but we cannot disclose the chemicals for confidentiality reasons.
 - Declared = not compliant with the Red List or its temporary exceptions.
- This declaration can be made using LBC's "Declare." label or using a self declaration letter.



Attachments Energy Rating Coucil (AERC)

AERC provides unbiased, third-party certifications of the energy-saving
potential of a window attachment product using a sophisticated process
of material testing and window modeling to gauge the degree to which a
window attachment will improve the performance of the window in reducing
heating and cooling usage.

Certified AERC products contain two energy ratings for Cool and Warm Climate that display potential energy savings in comparison to unprotected windows.

Cool Climate – measures for potential heat savings Warm Climate – measures for potential cooling savings Learn more at: www.aercenergyrating.org



Health Product Declaration (HPD)

- Declaration of everything used in a product, both good and bad. Not a certification.
- Similar to a Material Safety Data Sheet (MSDS), except an HPD measures smaller particles down to 100 parts per million. MSDS would not capture particles so small.
- It screens the materials and substances using the GreenScreen methodology and gives you a hazard score based on the hazard level of the product.



TEXSTYLE



FABRIC BRIEF

TEXSTYLE

Certifications | Declarations | Standards



14001

ISO 14001

- International Organization for Standardization (ISO) gives specifications for products, services and good practice helping to make industry more efficient and effective.
- Achieving 14001 certification means a company has met the requirements of showing they are controlling the impacts that their activities, products, and services have on the environment.
- This standard outlines how to conduct a life cycle analysis and how to make environmental statements about your product.
- Implies trust in environmental responsibility terms and thus helps to break down trade barriers.



9001

ISO 9001

- International Organization for Standardization (ISO) gives state-of-the-art specifications for produts, services and good practice helping to make industry more efficient and effective.
- A manufacturing quality certification
- Achieving this 9001 certification says a company has met the Quality
 Management System requirements by demonstrating their company
 commitment to quality, customer satisfaction, and continuous improvement of
 operations.
- Implies Quality and Trust and thus helps to break down trade barriers.