



CERTIFICATEOF COMPLIANCE



Texstyle X-Weave (T5-3001)

UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings

Product tested in accordance with UL 2821 test method to show compliance to emission limits on UL 2818. Sectopm 7.1 and 7.2.

Commercial furniture and furnishings are tested in accordance with ANS/JBIFMA M7.1-2011 and determined to comply with ANS/JBIFMA X7.1-2011 and ANS/JBIFMA e3-2014e Credit 7.6.1, 7.6.2, and 7.6.3. Panel based workstations are modeled in the open plan environment. Casegood systems and individual furniture items are modeled in the private office environment. Seating products are modeled in the seating environment. Classroom furniture is modeled using the standard classroom model in the California Department of Public Health (CDPH) Standard Method v1.2.

Building Products are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.1-2010, using the applicable exporsure scenario.



UL evaluated representative samples of the identified product, process or facility to the identified Standard or other requirements in accordance with the agreements and any applicable program service terms in place between UL and the Client (collectively "Agreement"). The Client is authorized to use the UL Mark for the identified Product, process or facility covered by this certificate, in accordance with the terms of the Agreement. This Certificate is valid for the identified dates unless there is non-compliance with the Agreement. This certificate is subject to modification, suspension and withdrawal by UL see SPOT.ul.com, to authenticate the certificate.